

Pottorff Quick Ship Program

Category	Series	Manufacturing Location	Maximum Quantity			Options and Accessories
			24 Hr	3-Day	7-Day	
Fire Dampers	VFD-10, VFD-30		5*	10*	25*	16,18 & 20 GA. A, B or C Sleeves, Round Duct Transitions, Stainless Steel , Retaining Angles, Net OD dimensions. Varying fuse link temps, sleeve lengths and clearances. Horizontal and vertical applications.
	VFD-10-IS, VFD-30-IS		10*	25*	50*	20 GA. A or B Sleeves, Round Duct Transitions, Retaining Angles, Net OD dimensions. Varying fuse link temps, sleeve lengths and clearances. Horizontal and vertical applications.
	VFD-10-TL, VFD-10D-TL		5*	5*	15*	16 & 20 GA. A or B sleeves, Round Duct Transitions, Retaining Angles, Net OD dimensions. Varying fuse link temps, sleeve lengths and clearances.
	VFD-10-IM		5	10	15	20 GA. A or B sleeves, Round Duct Transitions, Retaining Angles, Net OD dimensions. Varying fuse link temps, sleeve lengths and clearances.
	VFD-10D		5*	5*	10*	4000 fpm, 16,18 & 20 GA. A, B or C Sleeves, Round Duct Transitions, Stainless Steel , Retaining Angles, Net OD dimensions. Varying fuse link temps, sleeve lengths and clearances. Horizontal and vertical applications.
	VFD-15R, VFD-35R	CA ONLY	5	10	25	16 & 20 GA. Sleeves. Varying fuse link temps, sleeve lengths and clearances. Horizontal and vertical applications.
	VFD-15R-IS, VFD-35R-IS	CA ONLY	5	10	25	20 GA. Sleeves. Varying fuse link temps, sleeve lengths and clearances. Horizontal and vertical applications.
	FD-125R		5	5	20	Varying fuse link temps.
	FD-140 (OP), FD-150 (OP), FD-340		5*	10*	20*	20 GA. Sleeves, Round Duct Transitions, Stainless Steel , Retaining Angles, Net OD dimensions. Varying fuse link temps, sleeve lengths and clearances. Horizontal and vertical applications.
Fire/Smoke Dampers	FSD-141, 142 (OP), (SP)		5*	10*	20*	Side Plate, 20 GA. Sleeves, No Sleeve, Round Duct Transitions, Retaining Angles, Net OD dimensions, Stock Actuators, PI-50, Duct Mounted Smoke Detector and Loose Smoke Detector (except model 2151-24V). Varying fuse link temps, sleeve lengths and clearances. DRS-30.
	FSD-151, 152, (OP), (SP)	CA ONLY				
	FSD-171 (OP), FSD-172 (OP)		5	10	20	20 GA. Sleeves, Round Duct Transitions, Stock Actuators, PI-50, Duct Mounted Smoke Detector and Loose Smoke Detector (except model 2151-24V), DRS-30.
	FSD-341, 342, 351, 352		5*	10*	15*	Side Plate, 20 GA. Sleeves, No Sleeve, Round Duct Transitions, Retaining Angles, Net OD dimensions, Stock Actuators, PI-50, Duct Mounted Smoke Detector and Loose Smoke Detector (except model 2151-24V). Varying fuse link temps, sleeve lengths and clearances. DRS-30.
	FSD-125R	CA ONLY	5	5	20	Varying fuse link temps, Stock Actuators, DRS-30, Horizontal Mount
	SD-141, 142		5*	10*	20*	Side Plate, 20 GA. Sleeves, No Sleeve, Round Duct Transitions, Retaining Angles, Net OD dimensions, Stock Actuators, PI-50, Duct Mounted Smoke Detector and Loose Smoke Detector (except model 2151-24V). Varying sleeve lengths and clearances.
	SD-151, 152	CA ONLY				
		SD-25R		5	10	50
Ceiling Radiation Dampers	CFD-15R		10	20	50	22 GA Sleeves, VC-165, CRB-24, WHI-20, Varying sleeve lengths.
	CFD-15 (No Round Transitions)		15	30	50	22 GA Sleeves, Flange Transition, VC-165, CRB-24, WHI-20, All Plaster Ground Connections, Varying sleeve lengths.
	CFD-15 (With Round Transitions)		10	20	50	22 GA Sleeves, VC-165, CRB-24, WHI-20, All Plaster Ground Connections, Varying sleeve lengths.
	CFD-521 (IP) (NP)	TX ONLY	-	25	50	Round Transitions (mounted or loose), VC-165, WHI-20, All Plaster Ground Connections, Boot Rails.
	CFD-521-BT		-	30	70	VC-165, WHI-20, All Plaster Ground Connections, Boot Rails.
	CFD-20		5	15	30	22 GA Sleeves, Round Duct Transitions, CRB-24, WHI-20, All Plaster Ground Connections, Varying sleeve lengths.
Air Control Dampers	CD-10R	CA ONLY	10	40	100	22 GA. Sleeves, Standoff, Stainless Steel , Varying sleeve lengths and clearances, Locking quadrants.
	CD-10	CA ONLY	10	20	40	22 GA. Sleeves, Standoff, Locking quadrants.
	CD-21R, 22R	CA ONLY	-	-	20	Low Leakage Seals, Stock Actuators, Stainless Steel , Varying sleeve lengths, Stand-off Brackets.
	CD-25R	CA ONLY	10	20	50	Low Leakage Seals, Stock Actuators, Stainless Steel , Varying sleeve lengths, Locking quadrants, Stand-off Brackets.
	CD-41, 42, 45, 46		5*	15*	20*	Low Leakage Seals, Locking quadrants, Stock Actuators, 20 GA. Sleeves, Stainless Steel , Side Plates, Net OD dimensions, Varying sleeve lengths and clearances, Stand-off.
	CD-51, 52		-	5*	10*	Low Leakage Seals, Locking quadrants, Stock Actuators, 20 GA. Sleeves, Side Plates, Net OD dimensions, Varying sleeve lengths and clearances, Stand-off.
	MD-41, 42		5*	15*	20*	Stand-Off, Locking quadrant, Net OD dimensions, No top/bottom stops.
Backdraft Dampers	BD-20R (Catalog sizes only)		-	50	100	
	BD-150, 250	TX ONLY	10*	20*	40*	B (Discharge) or C (Intake) Mounting Flange, Net OD dimensions.
	CBD-150, 250	TX ONLY	10*	20*	40*	B (Discharge) or C (Intake) Mounting Flange, Net OD dimensions. Vertical or Horizontal - Airflow Up, Mount.

Note: * denotes Single Sections. 1/2 quantities are available for two sections. 1/3 quantities available for 3 sections. Please contact the factory for special requirements. Items shown in Bold are only available on the 7-day program. 24 Hr, 3 Day and 7 Day Quick Ship: Orders received before 12:00 Noon Central Time will ship the next business day, 3 days or 7 days respectively. Orders received after 12:00 Noon Central Time will ship in 2 days, 4 days, or 8 days respectively.

NOTE: Manufacturing location indicates CA-California and TX-Texas. If not designated, then the product is made in both facilities.

Category	Series	Manufacturing Location	Maximum Quantity			Options and Accessories
			24 Hr	3-Day	7-Day	
Louvers Standard paint extends the Quick Ship Program by 3 days. Anodize, 13 days; Prime Coat, 9 days	SFD-445, SFD-635, SFJ-445, SFJ-645	CA ONLY	-	5*	10*	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles. No screen, Insect Screen - Aluminum (18-16 mesh).
	EFD-245, EFJ-245, EFJ-430, EFJ-437, EFJ-645, EFK-430, EFK-437, EFK-445, EFK-637	TX ONLY	≤25 sq. ft	≤100 sq. ft	≤125 sq. ft	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles. No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh).
	EDD-445, EDD-637, EFD-435, EFD-445, EFD-645, EFD-437, EFD-637, EFJ-445	TX ONLY	≤25 sq. ft	≤100 sq. ft	≤250 sq. ft	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles. No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh).
	EFJ-637-HP, EFY-245, EFY-445	TX ONLY	≤ 25 sq. ft	≤ 100 sq. ft	≤ 150 sq. ft	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles. No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh).
	ECD-445, ECD-545, EFD-637-MD	TX ONLY	≤25 sq. ft	≤50 sq. ft	≤100 sq. ft	Integral Flange Frame (Mech. Fastened Only), Net OD dimensions, Sleeved (n/a for 24 hr). No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh).
	ECD-635	TX ONLY	-	≤ 25 sq. ft	≤ 50 sq. ft	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles. No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh).
	ECD-745	TX ONLY	-	≤ 25 sq. ft	≤ 50 sq. ft	Standard head and sill flashing, Net OD dimensions, Clip and continuous angles. No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh).
	EBE-445, EBI-445	TX ONLY	-	≤ 25 sq. ft	≤ 50 sq. ft	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles. No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh).
	EOD-445, EOD-637, EOJ-445, EOJ-637, EXD-437, EXD-645	TX ONLY	-	≤ 25 sq. ft	≤ 50 sq. ft	Stock Actuators, Integral Flange Frame (Mech. Fastened Only), Standard head & sill flashing, Net OD dimensions, Clip & continuous angles, Jamb & blade seals. No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh).
Standard paint extends the Quick Ship Program by 7 days. Anodize extends program by 13 days.	EBV-145, EBV-445 (Catalog Sizes Only)		-	49	150	
Access Doors	HAD, CAD (Catalog sizes only)		10	25	100	Standard latch quantities.
	RAD (Catalog sizes only)		-	25	100	
	WAD, OAD		-	5	15	
	DM, DMR (Catalog sizes only)		-	20	40	
	DMHT-2300 (Catalog sizes only)		-	5	10	

Note: * denotes Single Sections. 1/2 quantities are available for two sections. 1/3 quantities available for 3 sections. Please contact the factory for special requirements. Items shown in Bold are only available on the 7-day program. 24 Hr, 3 Day and 7 Day Quick Ship: Orders received before 12:00 Noon Central Time will ship the next business day, 3 days or 7 days respectively. Orders received after 12:00 Noon Central Time will ship in 2 days, 4 days, or 8 days respectively.

NOTE: Manufacturing location indicates CA-California and TX-Texas. If not designated, then the product is made in both facilities.

Pottorff Noise Control Quick Ship Program

Product Category Allowable	Series	Manufacturing Location	Maximum Quantity*			Options
			24 Hr	3-Day	7-Day	
Rectangular Silencers	RFP, RFF, RXFP, RXFF	TX	2 modules or \$1000 (whichever is less)	13 modules or \$5000 (whichever is less)	30 modules or \$10000 (whichever is less)	Specs Selectable Material Gauges. Angle flanges and rings. Mylar, Tedlar and Fiberglass Cloth.
	RFN, RXFN	TX	3 modules or \$1000 (whichever is less)	15 modules or \$5000 (whichever is less)	30 modules or \$10000 (whichever is less)	Specs Selectable Material Gauges. Angle flanges and rings.
No-Fill Rectangular Silencers	RNN	TX	Consult Factory	4 modules or \$5000 (whichever is less)	9 modules or \$10000 (whichever is less)	Specs Selectable Material Gauges. Angle flanges and rings.
Elbow Silencers	EFP, EFF, EXFP, EXFF	TX	Consult Factory	2 modules or \$2500 (whichever is less)	4 modules or \$5000 (whichever is less)	Specs Selectable Material Gauges. Angle flanges and rings. Mylar, Tedlar and Fiberglass Cloth.
	EFN, EXFN	TX	Consult Factory	2 modules or \$2500 (whichever is less)	4 modules or \$5000 (whichever is less)	Specs Selectable Material Gauges. Angle flanges and rings.
Circular Silencers	CFN, CFP, CFF CXFN, CXFP, CXFF	TX	Not Available	Not Available	Not Available	Specs Selectable Material Gauges. Angle rings (Standard sizes only). Mylar, Tedlar and Fiberglass Cloth.
No-Fill Circular Silencers	CXNN	TX	Not Available	Not Available	10 modules or \$5000 (whichever is less)	Specs Selectable Material Gauges. Angle rings (standard sizes only).
Acoustical Diffuser Cone Axial Fan Silencer	ADC	TX	Not Available	Not Available	Consult Factory	
Acoustical Louvers	EAA-645/EAA-845 EAA-1245/FAA-1245 EAJ-437/EAJ-637 SAJ-835/SAJ-1235	TX	Consult Factory	Consult Factory	Consult Factory	
Sonavent Louvers Transfer and Return Air Attenuators	L U Z	TX	-	-	40 modules or \$8000 (whichever is less)	
	RA	TX	Consult Factory	20 modules or \$4000		
Sound Transmission Class Silencers STC Rated Attenuators	STC	TX	Consult Factory	Consult Factory	Consult Factory	

Note: 24 Hr, 3 Day and 7 Day Quick Ship: Orders received before 12:00 Noon Central Time will ship the next business day, 5 days or 10 days respectively. Orders received after 12:00 Noon Central Time will ship in 2 days, 6 days or 11 days respectively.

NOTE: Manufacturing location indicates TX-Texas.

- Orders over the maximum constraints are handled on a case by case basis. For time and premium call Customer Service.
- Minimum charge will be the percentage or dollar amount listed, whichever is more.
- 10 gauge HTL casing not included in Quick Ship Program.
- Stainless steel materials not available on standard quick ships.